

**Amendments to the Drawings:**

The drawing sheets attached in connection with the above-identified application containing Figure(s) 2, 8, 9, 12-15 are being presented as a new formal drawing sheet or sheets to be substituted for the previously submitted drawing sheet or sheets. The drawing Figures 2, 8, 9, 12-15 have been amended. Appended to this amendment is an annotated copy of the previous drawing sheets which has been marked to show changes presented in the replacement sheets of the drawings.

The specific changes which have been made to Figures 2, 8, 9, and 12-15 are:

Figure 2, "curent" should be --current-- (step S50) and (step S60).

Figure 2, "presure" should be --pressure-- (step S100).

Figure 8, "curent" should be --current-- (step S50A) and (step S60).

Figure 9, "presure" should be --pressure-- (step S510A).

Figure 9, "target presure lower limit valve" should be --target pressure lower limit valve--, (both occurrences ).

Figure 12A, "ressitor" should be --resistor--.

Figure 13A, "ressitor" should be --resistor--.

Figure 14A, "ressitor" should be --resistor--.

Figure 15, "incresed" should be --increased--.

REMARKS

This amendment is being filed prior to payment of the issue fee. Entry of the foregoing amendment is respectfully requested. The amendment is required to correct typographical errors. The amendment does not change the scope of the claims. Accordingly, entry of the amendment is requested.

In the specification, paragraphs have been amended on pages 16, 17, and 18.

It is believed that no fees are due in connection with this Rule 312 amendment. In the event this is not correct, the undersigned authorizes the Commissioner to charge Deposit Account No. 19-0741.

Respectfully submitted,

Date January 19, 2010

By  \_\_\_\_\_

FOLEY & LARDNER LLP  
Customer Number: 22428  
Telephone: (202) 672-5426  
Facsimile: (202) 672-5399

Glenn Law  
Attorney for Applicant  
Registration No. 34,371